




- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

端头 Clamp Ferrule


DIN DCQ01



| Size  | DxT     | A    | B    | C     |
|-------|---------|------|------|-------|
| DN15  | 18x1.5  | 34   | 18   | 27.5  |
| DN20  | 22x1.5  | 34   | 18   | 27.5  |
| DN25  | 28x1.5  | 50.5 | 21.5 | 43.5  |
| DN32  | 34x1.5  | 50.5 | 21.5 | 43.5  |
| DN40  | 40x1.5  | 50.5 | 21.5 | 43.5  |
| DN50  | 52x1.5  | 64   | 21.5 | 56.5  |
| DN65  | 70x2.0  | 91   | 21.5 | 83.5  |
| DN80  | 85x2.0  | 106  | 21.5 | 97.0  |
| DN100 | 104x2.0 | 119  | 28   | 110.0 |
| DN125 | 129x2.0 | 155  | 28   | 146.0 |
| DN150 | 154x2.0 | 183  | 28   | 174.0 |

卡箍接头 Ferrule


DIN DCQ02



| Size  | A    | B    | D   |
|-------|------|------|-----|
| DN10  | 18   | 34   | 12  |
| DN15  | 18   | 34   | 18  |
| DN20  | 18   | 34   | 22  |
| DN25  | 21.5 | 50.5 | 28  |
| DN32  | 21.5 | 50.5 | 34  |
| DN40  | 21.5 | 50.5 | 40  |
| DN50  | 28   | 64   | 52  |
| DN65  | 28   | 91   | 70  |
| DN80  | 28   | 106  | 85  |
| DN100 | 28   | 119  | 104 |
| DN125 | 38   | 145  | 129 |
| DN150 | 38   | 167  | 154 |

卡式端盖 Ferrule Cap

DIN DCQ03



| Size  | D    | A  | B    |
|-------|------|----|------|
| DN15  | 34   | 6  | 27.5 |
| DN20  | 34   | 6  | 27.5 |
| DN25  | 50.5 | 6  | 43.5 |
| DN32  | 50.5 | 6  | 43.5 |
| DN40  | 50.5 | 6  | 43.5 |
| DN50  | 64   | 6  | 56.5 |
| DN65  | 91   | 6  | 83.5 |
| DN80  | 106  | 6  | 97   |
| DN100 | 119  | 8  | 110  |
| DN125 | 155  | 11 | 146  |
| DN150 | 183  | 11 | 174  |




- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

卫生级卡式组件  
 SANITARY FERRULE

### 卡箍垫圈 Gasket for ferrule


DIN | DCQ04



| Size  | A   | B     |  |  |  |
|-------|-----|-------|--|--|--|
| DN15  | 5.0 | 34.0  |  |  |  |
| DN20  | 5.0 | 34.0  |  |  |  |
| DN25  | 5.0 | 50.5  |  |  |  |
| DN32  | 5.5 | 50.5  |  |  |  |
| DN40  | 5.5 | 50.5  |  |  |  |
| DN50  | 5.5 | 64.0  |  |  |  |
| DN65  | 5.5 | 91.0  |  |  |  |
| DN80  | 5.5 | 106.0 |  |  |  |
| DN100 | 5.5 | 119.0 |  |  |  |
| DN125 | 5.5 | 145.0 |  |  |  |
| DN150 | 5.5 | 167.0 |  |  |  |

### 卡箍堵头 End Cap


DIN | DCQ05



| Size  | A    | B     |  |  |  |
|-------|------|-------|--|--|--|
| DN15  | 6.3  | 34.0  |  |  |  |
| DN20  | 6.3  | 34.0  |  |  |  |
| DN25  | 6.3  | 50.5  |  |  |  |
| DN32  | 6.3  | 50.5  |  |  |  |
| DN40  | 6.3  | 50.5  |  |  |  |
| DN50  | 6.3  | 64.0  |  |  |  |
| DN65  | 6.3  | 91.0  |  |  |  |
| DN80  | 6.3  | 106.0 |  |  |  |
| DN100 | 6.3  | 119.0 |  |  |  |
| DN125 | 11.1 | 145.0 |  |  |  |
| DN150 | 11.1 | 167.0 |  |  |  |

### 管帽 Pipe Cap

DIN | DCQ06



| Size  | DxT     | A    |  |  |  |
|-------|---------|------|--|--|--|
| DN25  | 28x1.5  | 11.0 |  |  |  |
| DN32  | 34x1.5  | 14.0 |  |  |  |
| DN40  | 40x1.5  | 14.0 |  |  |  |
| DN50  | 52x1.5  | 17.0 |  |  |  |
| DN65  | 70x2.0  | 22.0 |  |  |  |
| DN80  | 85x2.0  | 24.0 |  |  |  |
| DN100 | 104x2.0 | 28.0 |  |  |  |
| DN125 | 129x2.0 | 33.0 |  |  |  |
| DN150 | 154x2.0 | 38.0 |  |  |  |
| DN200 | 204x2.0 | 47.0 |  |  |  |
| DN250 | 254x2.0 | 50.0 |  |  |  |






- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

卫生级卡式组件  
SANITARY FERRULE

### 卡式端盖 Ferrule Cap


SMS | ICQ04



| Size  | D    | A  | B    |
|-------|------|----|------|
| 1"    | 50.5 | 6  | 43.5 |
| 1.25" | 50.5 | 6  | 43.5 |
| 1.5"  | 50.5 | 6  | 43.5 |
| 2"    | 64   | 6  | 56.5 |
| 2.5"  | 77.5 | 6  | 70.5 |
| 3"    | 91   | 6  | 83.5 |
| 3.5"  | 106  | 6  | 97   |
| 4"    | 119  | 8  | 110  |
| 4.5"  | 130  | 8  | 122  |
| 5.5"  | 155  | 11 | 146  |
| 6.5"  | 183  | 11 | 174  |

### 卡式软管接头 Adapter End Ferrule


SMS | ICQ05



| Size  | D     | L   | C    |
|-------|-------|-----|------|
| 1"    | 25.4  | 85  | 22.4 |
| 1.25" | 31.8  | 90  | 28.8 |
| 1.5"  | 38.1  | 100 | 35.1 |
| 2"    | 50.8  | 125 | 47.8 |
| 2.5"  | 63.5  | 140 | 59.5 |
| 3"    | 76.1  | 160 | 72.1 |
| 3.5"  | 88.9  | 160 | 84.9 |
| 4"    | 101.6 | 170 | 97.6 |

### 卡箍皮管接头 Hose Coupling


SMS | ICQ06



| Size  | A   | B    | D     |
|-------|-----|------|-------|
| 1"    | 60  | 50.5 | 25.4  |
| 1.25" | 65  | 50.5 | 31.8  |
| 1.5"  | 70  | 50.5 | 38.1  |
| 2"    | 75  | 64   | 50.8  |
| 2.5"  | 85  | 77.5 | 63.5  |
| 3"    | 90  | 91   | 76.3  |
| 3.5"  | 95  | 106  | 89    |
| 4"    | 100 | 119  | 101.6 |

### 卡箍垫圈 Gasket for ferrule

SMS | ICQ07




| Size | A   | B     |
|------|-----|-------|
| 1"   | 5.0 | 52.7  |
| 1.5" | 5.0 | 52.7  |
| 2"   | 5.5 | 66.2  |
| 2.5" | 5.5 | 79.7  |
| 3"   | 5.5 | 93.2  |
| 4"   | 5.5 | 121.2 |



- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

端头 Ferrule


BS | BCQ01



| Size | DxT      | A    | B  |  |  |  |
|------|----------|------|----|--|--|--|
| 1"   | 29.4x2.0 | 50.5 | 20 |  |  |  |
| 1.5" | 42.5x2.2 | 50.5 | 20 |  |  |  |
| 2"   | 55.6x2.4 | 64.0 | 25 |  |  |  |
| 2.5" | 68.9x2.7 | 77.5 | 30 |  |  |  |
| 3"   | 82.0x2.9 | 91.0 | 30 |  |  |  |
|      |          |      |    |  |  |  |
|      |          |      |    |  |  |  |
|      |          |      |    |  |  |  |
|      |          |      |    |  |  |  |
|      |          |      |    |  |  |  |
|      |          |      |    |  |  |  |
|      |          |      |    |  |  |  |
|      |          |      |    |  |  |  |
|      |          |      |    |  |  |  |

端头 Ferrule


BS | BCQ02



| Size  | DxT        | A     | B    |  |  |  |
|-------|------------|-------|------|--|--|--|
| 0.5"  | 12.9x1.7   | 25.4  | 21.5 |  |  |  |
| 0.75" | 19.3x1.7   | 25.4  | 21.5 |  |  |  |
| 1"    | 25.65x1.7  | 50.5  | 21.5 |  |  |  |
| 1.5"  | 38.35x1.7  | 50.5  | 21.5 |  |  |  |
| 2"    | 51.05x1.7  | 64.0  | 21.5 |  |  |  |
| 2.5"  | 63.75x1.7  | 77.5  | 21.5 |  |  |  |
| 3"    | 76.45x1.7  | 91.0  | 21.5 |  |  |  |
| 4"    | 101.85x2.1 | 119.0 | 21.5 |  |  |  |
|       |            |       |      |  |  |  |
|       |            |       |      |  |  |  |
|       |            |       |      |  |  |  |
|       |            |       |      |  |  |  |
|       |            |       |      |  |  |  |
|       |            |       |      |  |  |  |
|       |            |       |      |  |  |  |

卡箍垫圈 Gasket for ferrule

BS | BCQ03



| Size | A   | B     |  |  |  |  |
|------|-----|-------|--|--|--|--|
| 1"   | 5.5 | 50.5  |  |  |  |  |
| 1.5" | 5.5 | 50.5  |  |  |  |  |
| 2"   | 5.5 | 64.0  |  |  |  |  |
| 2.5" | 5.5 | 77.5  |  |  |  |  |
| 3"   | 5.5 | 91.0  |  |  |  |  |
| 4"   | 5.5 | 119.0 |  |  |  |  |
|      |     |       |  |  |  |  |
|      |     |       |  |  |  |  |
|      |     |       |  |  |  |  |
|      |     |       |  |  |  |  |
|      |     |       |  |  |  |  |
|      |     |       |  |  |  |  |
|      |     |       |  |  |  |  |




- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

卫生级卡式组件  
SANITARY FERRULE

卡箍接头 Ferrule


3A



|                 | Size  | A    | B    | D    |  |  |
|-----------------|-------|------|------|------|--|--|
| 14WMP           | 0.5"  | 12.7 | 25.4 | 12.7 |  |  |
|                 | 0.75" | 12.7 | 25.4 | 19.1 |  |  |
| 14MMP           | 0.5"  | 21.5 | 25.4 | 12.7 |  |  |
|                 | 0.75" | 21.5 | 25.4 | 19.1 |  |  |
| 14AMP           | 0.5"  | 28.6 | 25.4 | 12.7 |  |  |
|                 | 0.75" | 28.6 | 25.4 | 19.1 |  |  |
| 14AMP-AWF (BPE) | 0.5"  | 44.5 | 25.4 | 12.7 |  |  |
|                 | 0.75" | 44.5 | 25.4 | 19.1 |  |  |
|                 |       |      |      |      |  |  |
|                 |       |      |      |      |  |  |
|                 |       |      |      |      |  |  |

卡箍接头 Ferrule

3A




| Size | B     | D     | S     |       |       |
|------|-------|-------|-------|-------|-------|
|      |       |       | 14WMP | 14MMP | 14AMP |
| 1"   | 50.5  | 25.4  | 12.7  | 21.5  | 28.6  |
| 1.5" | 50.5  | 38.1  | 12.7  | 21.5  | 28.6  |
| 2"   | 64    | 50.8  | 12.7  | 21.5  | 28.6  |
| 2.5" | 77.5  | 63.5  | 12.7  | 21.5  | 28.6  |
| 3"   | 91    | 76.2  | 12.7  | 21.5  | 28.6  |
| 4"   | 119   | 101.6 | 15.8  | 21.5  | 28.6  |
| 6"   | 167   | 152.4 | 22.2  | 21.5  | 38.1  |
| 8"   | 217.7 | 203.2 | 22.2  | 21.5  | 38.1  |
| 10"  | 268.5 | 254   | 22.2  | 21.5  | 38.1  |
|      |       |       |       |       |       |
|      |       |       |       |       |       |
|      |       |       |       |       |       |

扩展式接头 Expanded Ferrule

3A

14RMP




| Size | A    | B    | D     |  |  |
|------|------|------|-------|--|--|
| 1"   | 19.1 | 50.5 | 29.5  |  |  |
| 1.5" | 28.6 | 50.5 | 42.6  |  |  |
| 2"   | 33.3 | 64   | 55.7  |  |  |
| 2.5" | 34.9 | 77.5 | 68.8  |  |  |
| 3"   | 36.5 | 91   | 81.9  |  |  |
| 4"   | 38.1 | 119  | 108.1 |  |  |
|      |      |      |       |  |  |
|      |      |      |       |  |  |
|      |      |      |       |  |  |



- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

端头(加厚型) Welding Ferrule (Heavy)


3A | 14MPW



| Size | A(inch) | B(inch) |  |  |  |
|------|---------|---------|--|--|--|
| 1"   | 1 63/64 | 1 5/8   |  |  |  |
| 1.5" | 1 63/64 | 1 5/8   |  |  |  |
| 2"   | 2 33/64 | 1 3/4   |  |  |  |
| 2.5" | 2 3/64  | 1 3/4   |  |  |  |
| 3"   | 3 37/64 | 1 13/16 |  |  |  |
| 4"   | 4 11/18 | 2 1/8   |  |  |  |
|      |         |         |  |  |  |
|      |         |         |  |  |  |
|      |         |         |  |  |  |
|      |         |         |  |  |  |
|      |         |         |  |  |  |
|      |         |         |  |  |  |

端头(加长型) Ferrule (Long)


3A | 14WLMP



| Size | T(mm) | A(inch) | B(inch) |  |  |
|------|-------|---------|---------|--|--|
| 1"   | 1.65  | 1 63/64 | 3       |  |  |
| 1.5" | 1.65  | 1 63/64 | 3       |  |  |
| 2"   | 1.65  | 2 33/64 | 3       |  |  |
| 2.5" | 1.65  | 2 3/64  | 3       |  |  |
| 3"   | 1.65  | 3 37/64 | 4       |  |  |
| 4"   | 2.11  | 4 11/18 | 4       |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |

罐用加长卡式接头 Tygon Hose Adapter

3A | 14MPHT



| Size  | T(mm) | A(inch) | B(inch) |  |  |
|-------|-------|---------|---------|--|--|
| 0.5"  | 1.65  | 1       | 1 3/4   |  |  |
| 0.75" | 1.65  | 1       | 1 3/4   |  |  |
| 1"    | 1.65  | 1 63/64 | 4 1/2   |  |  |
| 1.5"  | 1.65  | 1 63/64 | 4 1/2   |  |  |
| 2"    | 1.65  | 2 33/64 | 4 1/2   |  |  |
| 2.5"  | 1.65  | 2 3/64  | 4 1/2   |  |  |
| 3"    | 1.65  | 3 37/64 | 4 1/2   |  |  |
| 4"    | 2.11  | 4 11/18 | 4 5/8   |  |  |
|       |       |         |         |  |  |
|       |       |         |         |  |  |
|       |       |         |         |  |  |
|       |       |         |         |  |  |
|       |       |         |         |  |  |
|       |       |         |         |  |  |




- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

卫生级卡式组件  
SANITARY FERRULE

### 卡箍接头 Ferrule

3A




| Size | B     | D     | A     |       |
|------|-------|-------|-------|-------|
|      |       |       | 15WI  | 15WLI |
| 1"   | 50.67 | 25.4  | 19.8  | 44.4  |
| 1.5" | 50.67 | 38.1  | 23.8  | 51.6  |
| 2"   | 67.05 | 50.8  | 26.19 | 58.7  |
| 2.5" | 84    | 63.5  | 29.36 | 64.5  |
| 3"   | 98.3  | 76.2  | 30.94 | 68.3  |
| 4"   | 123.7 | 101.6 | 34.11 | 76.2  |
|      |       |       |       |       |
|      |       |       |       |       |
|      |       |       |       |       |
|      |       |       |       |       |
|      |       |       |       |       |
|      |       |       |       |       |

### 卡式软管接头 Rubber Hose Adapter

3A

14MPHR




| Size      | A(mm)   | B(inch) | L(inch) |
|-----------|---------|---------|---------|
| 1/2x1/4   | 1       | 1/4     | 1 1/2   |
| 1/2x3/8   | 1       | 3/8     | 1 1/2   |
| 1/2       | 1       | 1/2     | 1 1/2   |
| 3/4x1/4   | 1       | 1/4     | 1 1/2   |
| 3/4x3/8   | 1       | 3/8     | 1 1/2   |
| 3/4x1/2   | 1       | 1/2     | 1 1/2   |
| 3/4       | 1       | 3/4     | 1 1/2   |
| 1x1/2     | 1 63/64 | 1/2     | 1 1/2   |
| 1x3/4     | 1 63/64 | 3/4     | 1 1/2   |
| 1         | 1 63/64 | 1       | 1 11/16 |
| 1 1/2x1/2 | 1 63/64 | 1/2     | 1 1/2   |
| 1 1/2x3/4 | 1 63/64 | 3/4     | 1 1/2   |
| 1 1/2x1   | 1 63/64 | 1       | 1 11/16 |
| 1 1/2     | 1 63/64 | 1 1/2   | 1 11/16 |
| 2         | 2 33/64 | 2       | 2 5/16  |
| 2 1/2     | 3 3/64  | 2 1/2   | 2 11/32 |
| 3         | 3 37/64 | 3       | 3 3/32  |
| 4         | 4 11/16 | 4       | 3 13/32 |
|           |         |         |         |
|           |         |         |         |
|           |         |         |         |
|           |         |         |         |
|           |         |         |         |

### 卡箍垫圈 Gasket for ferrule

3A

3ACQ05



| Size | A   | B     |
|------|-----|-------|
| 1"   | 5.0 | 50.5  |
| 1.5" | 5.0 | 50.5  |
| 2"   | 5.5 | 64    |
| 2.5" | 5.5 | 77.5  |
| 3"   | 5.5 | 91    |
| 4"   | 5.5 | 119   |
| 6"   | 5.5 | 167   |
| 8"   | 5.5 | 217.7 |
| 10"  | 5.5 | 268.5 |
|      |     |       |
|      |     |       |
|      |     |       |
|      |     |       |
|      |     |       |






- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

密封圈 Ferrule Gasket


3A | 40MP



| Size  | A(inch) |  |  |  |  |
|-------|---------|--|--|--|--|
| 0.5"  | 1       |  |  |  |  |
| 0.75" | 1       |  |  |  |  |
| 1"    | 1 63/64 |  |  |  |  |
| 1.5"  | 1 63/64 |  |  |  |  |
| 2"    | 2 33/64 |  |  |  |  |
| 2.5"  | 2 3/64  |  |  |  |  |
| 3"    | 3 37/64 |  |  |  |  |
| 4"    | 4 11/16 |  |  |  |  |
|       |         |  |  |  |  |
|       |         |  |  |  |  |
|       |         |  |  |  |  |
|       |         |  |  |  |  |
|       |         |  |  |  |  |
|       |         |  |  |  |  |
|       |         |  |  |  |  |
|       |         |  |  |  |  |

卡式端盖 Ferrule Cap


3A | 16AMP



| Size  | A(inch) | B(inch) |  |  |  |
|-------|---------|---------|--|--|--|
| 0.5"  | 1       | 2/11    |  |  |  |
| 0.75" | 1       | 2/11    |  |  |  |
| 1"    | 1 63/64 | 1/4     |  |  |  |
| 1.5"  | 1 63/64 | 1/4     |  |  |  |
| 2"    | 2 33/64 | 1/4     |  |  |  |
| 2.5"  | 2 3/64  | 1/4     |  |  |  |
| 3"    | 3 37/64 | 1/4     |  |  |  |
| 4"    | 4 11/16 | 1/4     |  |  |  |
| 6"    | 6 9/16  | 3/7     |  |  |  |
|       |         |         |  |  |  |
|       |         |         |  |  |  |
|       |         |         |  |  |  |
|       |         |         |  |  |  |
|       |         |         |  |  |  |
|       |         |         |  |  |  |
|       |         |         |  |  |  |
|       |         |         |  |  |  |

凸面端盖 Solid Cap Without Groove


3A | 16AI-14AI



| Size | T(mm) | A(inch) | B(inch) |  |  |
|------|-------|---------|---------|--|--|
| 1"   | 1.65  | 2       | 25/32   |  |  |
| 1.5" | 1.65  | 2       | 15/16   |  |  |
| 2"   | 1.65  | 2 5/8   | 1 1/8   |  |  |
| 2.5" | 1.65  | 3 5/16  | 1 5/32  |  |  |
| 3"   | 1.65  | 3 7/8   | 1 3/10  |  |  |
| 4"   | 2.11  | 4 7/8   | 1 11/32 |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |

凹面端盖 Solid Cap With Groove

3A | 16AI-15AI



| Size | T(mm) | A(inch) | B(inch) |  |  |
|------|-------|---------|---------|--|--|
| 1"   | 1.65  | 2       | 25/32   |  |  |
| 1.5" | 1.65  | 2       | 15/16   |  |  |
| 2"   | 1.65  | 2 5/8   | 1 1/8   |  |  |
| 2.5" | 1.65  | 3 5/16  | 1 5/32  |  |  |
| 3"   | 1.65  | 3 7/8   | 1 3/10  |  |  |
| 4"   | 2.11  | 4 7/8   | 1 11/32 |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |
|      |       |         |         |  |  |




- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

卫生级卡式组件  
 SANITARY FERRULE

### 端头(短型) Short Welding Ferrule


BPE | S14WMP



| Size  | T(mm) | A(inch) | B(inch) |
|-------|-------|---------|---------|
| 0.5"  | 1.65  | 1       | 1/2     |
| 0.75" | 1.65  | 1       | 1/2     |
| 1"    | 1.65  | 1 63/64 | 1/2     |
| 1.5"  | 1.65  | 1 63/64 | 1/2     |
| 2"    | 1.65  | 2 33/64 | 1/2     |
| 2.5"  | 1.65  | 2 3/64  | 1/2     |
| 3"    | 1.65  | 3 37/64 | 1/2     |
| 4"    | 2.11  | 4 11/16 | 5/8     |
| 6"    | 2.80  | 6 9/16  | 7/8     |

### 卡式端盖 Ferrule Cap

BPE | S16AMP




| Size  | A(inch) | B(inch) |
|-------|---------|---------|
| 0.5"  | 1       | 2/11    |
| 0.75" | 1       | 2/11    |
| 1"    | 1 63/64 | 1/4     |
| 1.5"  | 1 63/64 | 1/4     |
| 2"    | 2 33/64 | 1/4     |
| 2.5"  | 2 3/64  | 1/4     |
| 3"    | 3 37/64 | 1/4     |
| 4"    | 4 11/16 | 1/4     |
| 6"    | 6 9/16  | 3/7     |



- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

端头(加长盖) Welding Ferrule(Long)


BPE | S14MPW



| Size  | T(mm) | A(inch) | B(inch) |  |  |  |
|-------|-------|---------|---------|--|--|--|
| 0.5"  | 1.65  | 1       | 1 3/4   |  |  |  |
| 0.75" | 1.65  | 1       | 1 3/4   |  |  |  |
| 1"    | 1.65  | 1 63/64 | 1 3/4   |  |  |  |
| 1.5"  | 1.65  | 1 63/64 | 1 3/4   |  |  |  |
| 2"    | 1.65  | 2 33/64 | 2 1/4   |  |  |  |
| 2.5"  | 1.65  | 2 3/64  | 2 1/4   |  |  |  |
| 3"    | 1.65  | 3 37/64 | 2 1/4   |  |  |  |
| 4"    | 2.11  | 4 11/16 | 2 1/4   |  |  |  |
| 6"    | 2.80  | 6 9/16  | 3       |  |  |  |
|       |       |         |         |  |  |  |
|       |       |         |         |  |  |  |

端盖 Welding Cap

BPE | S16AWF




| Size  | A(inch) |  |  |  |  |  |
|-------|---------|--|--|--|--|--|
| 0.5"  | 1/2     |  |  |  |  |  |
| 0.75" | 1/2     |  |  |  |  |  |
| 1"    | 1/2     |  |  |  |  |  |
| 1.5"  | 1/2     |  |  |  |  |  |
| 2"    | 1/2     |  |  |  |  |  |
| 2.5"  | 1/2     |  |  |  |  |  |
| 3"    | 1/2     |  |  |  |  |  |
| 4"    | 2       |  |  |  |  |  |
| 6"    | 2 1/2   |  |  |  |  |  |
|       |         |  |  |  |  |  |
|       |         |  |  |  |  |  |




- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

SANITARY CLAMP  
卫生级卡箍


### 卡箍螺母 Clamp Nut




No.1



No.2




No.3




No.4

### 卡箍 Clamp 13MHHM




| Size         | A(mm)  |  |  |  |  |
|--------------|--------|--|--|--|--|
| 0.5" & 0.75" | 28.2   |  |  |  |  |
| 1" & 1.5"    | 53.9   |  |  |  |  |
| 2"           | 67.41  |  |  |  |  |
| 2.5"         | 80.9   |  |  |  |  |
| 3"           | 94.41  |  |  |  |  |
| 4"           | 122.43 |  |  |  |  |
| 6"           | 170.1  |  |  |  |  |

### 卡箍 Clamp 13I/13IU



| Size | A(mm)  |  |  |  |  |
|------|--------|--|--|--|--|
| 1.5" | 53.95  |  |  |  |  |
| 2"   | 71.42  |  |  |  |  |
| 2.5" | 88.9   |  |  |  |  |
| 3"   | 103.12 |  |  |  |  |
| 4"   | 126.95 |  |  |  |  |

### 卡箍 Clamp 13IS




| Size      | A(mm)  |  |  |  |  |
|-----------|--------|--|--|--|--|
| 1" & 1.5" | 53.95  |  |  |  |  |
| 2"        | 71.42  |  |  |  |  |
| 2.5"      | 88.9   |  |  |  |  |
| 3"        | 103.12 |  |  |  |  |
| 4"        | 126.95 |  |  |  |  |



- ◆ Stainless Steel Sanitary Pipe Fitting
- ◆ Valve、Pump、Fluid Facility
- ◆ 不锈钢卫生级管件、阀门、泵、流体设备

卡箍 Clamp


P13MHM



| Size       | A(mm)  |  |  |  |  |
|------------|--------|--|--|--|--|
| 0.5"&0.75" | 28.2   |  |  |  |  |
| 1"&1.5"    | 53.9   |  |  |  |  |
| 2"         | 67.41  |  |  |  |  |
| 2.5"       | 80.9   |  |  |  |  |
| 3"         | 94.41  |  |  |  |  |
| 4"         | 122.43 |  |  |  |  |
| 6"         | 170.1  |  |  |  |  |
|            |        |  |  |  |  |
|            |        |  |  |  |  |

卡箍 Clamp


PW13MHM



| Size    | A(mm)  |  |  |  |  |
|---------|--------|--|--|--|--|
| 1"&1.5" | 53.90  |  |  |  |  |
| 2"      | 67.41  |  |  |  |  |
| 2.5"    | 80.90  |  |  |  |  |
| 3"      | 94.41  |  |  |  |  |
| 4"      | 122.43 |  |  |  |  |
|         |        |  |  |  |  |
|         |        |  |  |  |  |

卡箍 Clamp


13MHP



| Size       | A(mm)  |  |  |  |  |
|------------|--------|--|--|--|--|
| 0.5"&0.75" | 26.70  |  |  |  |  |
| 1"         | 52.40  |  |  |  |  |
| 1.5"       | 52.40  |  |  |  |  |
| 2"         | 65.90  |  |  |  |  |
| 2.5"       | 79.50  |  |  |  |  |
| 3"         | 93.85  |  |  |  |  |
| 4"         | 120.95 |  |  |  |  |
| 6"         | 170.10 |  |  |  |  |
|            |        |  |  |  |  |
|            |        |  |  |  |  |

卡箍 Clamp

P13MHHS



| Size | A(mm) |  |  |  |  |
|------|-------|--|--|--|--|
| 1"   | 54.0  |  |  |  |  |
| 1.5" | 54.0  |  |  |  |  |
| 2"   | 67.7  |  |  |  |  |
| 2.5" | 80.8  |  |  |  |  |
| 3"   | 94.3  |  |  |  |  |
| 4"   | 122.8 |  |  |  |  |
|      |       |  |  |  |  |
|      |       |  |  |  |  |